



Features

- Portable 40-foot containerized access control checkpoint engineered for temporary and permanent perimeter security
- Pre-assembled and pre-wired with 4 to 5 full-height turnstiles for fast, on-site commissioning
- Supports single-direction or bidirectional access per lane
- Heavy-duty, weather-resistant steel CONEX container suited for both outdoor and indoor deployments
- Customizable with exterior floodlights, video surveillance, walkthrough metal detectors, and X-ray inspection equipment

Interior Space Add-Ons

- Small office
- Kitchenette
- Restroom cabin
- Guard booth


Specifications

CONTAINER		
Lane Capacity		4 to 5 lanes
Dimensions	Length	12,000 mm / 472 in / 40 ft
	Width	2,430 mm / 96 in / 8 ft
	Height	2,900 mm / 114 in / 9 ft 6 in
Material	Primary Shell	CORTEN Weathering Steel: structural frame, side walls, roof panels, and cargo doors for standard dry freight containers
	Refrigerated Shell	MGSS (Muffler Grade) Stainless Steel: outer wall, roof, and door panels, corrugated bottom panels, and select frame structures for refrigerated containers

TURNSTILE		
Type		Full-height turnstile
Dimensions	Length	1,500 mm / 59 in / 4 ft 11 in
	Width	1,350 mm / 53 in / 4 ft 5 in
	Height	2,250 mm / 89 in / 7 ft 4 in
Passage Width		1,525 mm / 60 in / 5 ft
Direction		Single / Bidirectional
Function		Automatic open during emergencies
Power Supply		110–220V AC, 50/60 Hz
Working Environment		Indoor & Outdoor


Option #1: (3) Full-Height Turnstiles + Attached Office

Dimensions are in mm.



Option #2: (4) Full-Height Turnstiles + Attached Office

Dimensions are in mm.



Option #3: (5) Full-Height Turnstiles

Dimensions are in mm.

